

Cyprus Thompson Creek

Post Office Box 62
Clayton, Idaho 83227
Telephone (208) 838-2200

May 13, 1987

Chief, Water Compliance Section
EPA, Region X, Mail Stop 513
1200 Sixth Avenue
Seattle, Washington 98101

Reference: Cyprus Thompson Creek Mining Company

Subject: NPDES Discharge Monitoring Report for April 1987.


Dear Sir or Madam:

Enclosed are the discharge monitoring reports for source points 001 and 002 on the Cyprus Thompson Creek Project for April 1, 1987 through April 30, 1987.

See attachment A for Thompson Creek turbidities.

If you have any questions, please advise.

Very truly yours,


C. G. JANES
General Manager

CGJ:BSM

Enclosures

cc: Idaho Dept. of Health & Welfare, Boise Office
File: P-12-e

RECEIVED
MAY 19 1987

WATER COMPLIANCE SECTION
EPA - REGION 10

CYPRUS

ATTACHMENT A*

April 30, 1987

Turbidities on Thompson Creek

<u>DATE</u>	<u>STATION</u>	<u>TURBIDITY (NTU)</u>
4-2-87	TC-1	0.52
	TC-2	0.55
	TC-3	0.54
	TC-4	0.54

RECEIVED

MAY 19 1987

WATER COMPLIANCE SECTION
EPA - REGION 10

CYRUS

*When Buckskin isn't discharging